Serial No.: 10/572,918

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently amended) Water-free concentrate, consisting of ubichinon ubiquinone Q10, a medium-chained triglyceride or triglyceride mixture, α-lipoic acid and/or dihydrolipoic acid and/or dihydrolipoamide its derivatives, as well as one or more emulsifiers as non-ionic polysorbates,

with the concentrate comprising a first solubilizate which is obtained from ubiquinone Q₁₀, polysorbate and triglyceride, and a second solubilizate which is obtained from α-lipoic acid and or dihydrolipoic acid and/or dihydrolipoamide and polysorbate,

whereby in the concentrate the ratio by weight of the polysorbate to the sum of the proportions by weight of the remaining ingredients amounts to about 4:1 to about 5.5:1 emulgators with HLB value between 9 and 19 permitted according to the food or drug laws.

- 2. (Canceled)
- 3. (Currently amended) The concentrate Concentrate according to claim 1 2, in which the emulsifier emulgator consists of a polysorbate 20 and/or polysorbate 80.
- 4. (Canceled)

Serial No.: 10/572,918

5. (Currently amended) The concentrate Concentrate according to claim 1, in which the medium-

chained triglyceride is a light oil such as safflower oil or a mixture of caprylic acid and caprinic

acid.

6. (Canceled)

7. (Currently amended) The concentrate Concentrate according to claim 1, in which the ratio by

weight of <u>ubiquinone Q_{10} ubichinon</u> to α -lipoic acid lies between about 1:1 and about 1:4.

8. (Currently amended) The concentrate Concentrate according to claim 1, which consists of

about 82.95 85 w/w % of the polysorbates, about 3.2 3.3 w/w % of ubiquinone Q10, about 3.60

4 w/w % of α -lipoic acid and about 10.25 10 w/w % of triglycerides.

9. (Currently amended) The concentrate Concentrate according to claim 1, which consists of

about 5 w/w % of ubiquinone Q_{10} , about 10 w/w % of α -lipoic acid, about 4 w/w % of

triglycerides and about 81 w/w % of polysorbate 80.

10. (Currently amended) The concentrate Concentrate according to claim 1, which consists of about

4 w/w % of ubiquinone Q_{10} , about 8 w/w % of α -lipoic acid, about 6 w/w % of triglycerides and

about 82 w/w % of polysorbate 80.

3

Serial No.: 10/572,918

11. (Currently amended) The concentrate Concentrate according to claim 1, which consists of about

5 w/w % of ubiquinone Q_{10} , about 9 w/w % α -lipoic acid, about 5 w/w % of triglycerides and about

81 w/w % of polysorbate 80.

12. (Currently amended) The concentrate Concentrate according to claim 1, which consists of about

2 w/w % of ubiquinone Q₁₀, about 8 w/w % of α-lipoic acid, about 6 w/w % triglycerides and about

84 w/w % polysorbate 80.

13. (Withdrawn) Method for production of a concentrate according to claim 1, in which at first a

solubilizate is obtained from Q₁₀, polysorbate 80 and a triglyceride, thereafter a solubilizate is

obtained from α -lipoic acid and polysorbate 80 or polysorbate 20, and subsequently Q_{10}

solubilizate is mixed with α -lipoic acid solubilizate and stirred to yield a homogeneous mass.

14. (Withdrawn) Method according to 13, in which an α-lipoic acid solubilsate is obtained at a

temperature, for instance 100° C., which is higher compared to that temperature, for instance

 85° C., at which Q_{10} is solubilized, and both the solubilizates are mixed at a lower temperature of,

for instance, 60°C.

15. (Withdrawn) Method according to claim 13, in which about 2, more practically about 1.8

parts of Q_{10} solubilizate are mixed with about 1 part of α -lipoic acid solubilizate.

4

Serial No.: 10/572,918

16. (Currently amended) Concentrate according to claim 1, which is added to a A non-alcoholic

drink comprising a concentrate according to claim 1 in the ratio of one part of the concentrate to

about 0.1 to up to about 5,000 parts of the drink.

17. (Currently amended) Concentrate according to claim 1, which is added to a A milk product,

vegetable oil or a similar foodstuff comprising a concentrate according to claim 1 in the ratio of

one part of the concentrate to about 0.1 to up to about 500 parts of the foodstuff.

5